# HP LaserJet Enterprise 700 color MFP M775 series



## Get standout A3 color, robust scanning features, and high-volume paper capacity in a versatile MFP.

Enable large-volume, professional-quality color printing on a wide range of paper sizes—up to A3—with paper capacity up to 4,350 sheets.<sup>1</sup> Preview and edit scanning jobs. Centrally manage printing policies. Safeguard sensitive business information.



HP LaserJet Enterprise 700 color MFP M775dn



## HP LaserJet Enterprise 700 color MFP M775f



HP LaserJet Enterprise 700 color MFP M775z



HP LaserJet Enterprise 700 color MFP M775z+

## Expand possibilities with affordable A3 color

- Upsize color printing capabilities with media sizes up to A3 for impressive marketing materials and more.
- Impress with bold text and smooth color—and get the color output you intended with Pantone® matching.
- Go from zero to done, right at the MFP—print, copy, scan, and fax<sup>2</sup> from the large touchscreen.
- HP ePrint—now print from your smartphone or tablet from virtually anywhere.<sup>3</sup>

## Boost productivity, easily manage printing

- Boost productivity—get up to 4350-sheet paper capacity for large printing jobs from a workhorse MFP.<sup>1</sup>
- Automate high-volume print jobs to save time, using the 100-page automatic document feeder.
- Easily manage your business's color printing with HP color access controls.<sup>5</sup>
- Save and print files directly at the MFP via an easy-access USB port.

## Streamline workflow with robust scanning

- Improve workflow using touchscreen controls to preview, edit, and digitally send documents at the device.<sup>6</sup>
- Streamline tasks—print, copy, fax,<sup>2</sup> and scan projects directly at the MFP's large color touchscreen.
- Incorporate paper documents into digital workflows—easily send scans to fax,<sup>2</sup> e-mail, or network folders.
- Efficiently capture the right content—remove blank pages in scanned documents to avoid wasted paper.

## Invest in robust security that grows with you

- Extend the capabilities of workteam print environments, using a rich array of easy-to-integrate solutions.
- Boost printing and imaging safeguards and protect business data with fleet-level security solutions.
- Add security solutions—such as card and badge readers—through the hardware integration pocket.<sup>7</sup>
- Help control expenses with energy-saving features.<sup>9</sup>

<sup>1</sup>Maximum paper capacity of 4350 sheets is available only on the M775dn with the addition of the optional 3500-sheet tray. <sup>2</sup>Fax capabilities are available with an optional fax card on the HP Laser let Enterprise 700 color MF M75dn. <sup>3</sup>Requires an Internet connection to HP Web enabled printer and HP ePrint account registration for a list of eligible printers, supported documents and image types and other HP eVint teals, see hp. com/gdeprint.tenter). Mobile devices require internet connection and e-mail capabilities are available with an optional fax card on the HP Laser let Enterprise 700 color MF M75dn. <sup>3</sup>Requires an Internet connection to HP Web enabled printer and HP ePrint account registration for a list of eligible printers, supported documents and image types and other HP eVint teals, see hp. com/gdeprint.tenter). Mobile devices require internet connection and e-mail capabilities are available with an optional fax card on the HP Laser let printers may require wire devices. <sup>6</sup>Internet stapelier/stater is not available on the HP Laser let Enterprise 700 color MF M775dn or M775f. <sup>6</sup>Color access contruc capabilities vary from device to device. <sup>6</sup>Interprise adjue/stater is not available on the HP Laser let Enterprise 700 color MF M775f. <sup>6</sup>Color access contruc capabilities vary from device to device. <sup>6</sup>Interprise adjue/stater is not available on the HP Laser let Enterprise 700 color MF M775f. <sup>6</sup>Color access contruc capabilities vary from device to device. <sup>6</sup>Interprise adjue/stater is not available on the HP Laser let Enterprise 700 color MF M775f. <sup>6</sup>Color access contruc capabilities vary from device to device. <sup>6</sup>Interprise adjue/stater is not available on the HP Laser let Enterprise 700 color MF M775f. <sup>6</sup>Color access contruc capabilities vary from device to device. <sup>6</sup>Interprise adjue/stater is not available on the HP Laser let Enterprise 700 color MF M775f. <sup>6</sup>Color access contruc capabilities vary from device to device. <sup>6</sup>Interprise adjue/stater is not available adjue to the device adjue to the

## Product walkaround

- 1. 100-sheet automatic document feeder
- 2. Intuitive 8 in pivoting light touch SVGA color control panel with FutureSmart firmware and scan preview
- 3. Hardware integration pocket for solution integration
- 4. Easy-access USB port to save and print files directly
- 5. In-line stapler/stacker for offset sorting and stapling up to  $_{\rm 30\text{-}page}$
- 6.250-sheet output bin
- 7. Front door allows convenient access to one black and three color, all in one HP print cartridges
- 8. Built-in automatic two-sided printing
- 9.250-sheet input tray 2
- 10. 3,500-sheet high-capacity feeder with cabinet for a 3,850-sheet total input capacity
- 11. 100-sheet multipurpose tray 1 handles up to 58 lb bond paper with long extension
- 12. Fax port
- 13.800 MHz processor, 1.5 GB standard memory
- 14. HP High Performance Secure Hard Disk
- 15. Hi-Speed USB 2.0 printing port
- 16. HP Jetdirect Gigabit Ethernet print server



Front view

## Series at glance

	M775dn MFP	M775f MFP	M775z MFP	M775z+ MFP
Part number	CC522A	CC523A	CC524A	CF304A
Fax	Optional	✓	✓	$\checkmark$
Automatic two-sided printing	✓	✓	$\checkmark$	✓
100-sheet multipurpose tray 1	✓	✓	✓	✓
250-sheet tray 2	✓	✓	✓	✓
500-sheet tray 3	Optional	✓	Not available	Not available
500-sheet feeder tray with cabinet	Optional	✓	Not available	Not available
3x500-sheet feeder tray with cabinet	Optional	Not available	✓	Not available
3,500-sheet high-capacity feeder with cabinet	Optional	Not available	Not available	✓
In-line stapler/stacker	Not available	Not available	✓	✓
ENERGY STAR <sup>®</sup> qualified	✓	✓	√	$\checkmark$
Secure Hard Disk	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$

## **HP Services**

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs. HP Care Pack Services provide a comprehensive suite of protection services designed to keep HP hardware and software up and running so employees can stay productive.

## Onsite Support:

Onsite support within four hours after a service call received within the coverage window

#### Next Business Day Onsite Support:

Onsite service the next business day after the service call is received

#### Maintenance Kit Replacement Service:

Onsite replacement of your printer's maintenance kit including parts, materials, and labor

For carepack availability visit: hp.com/go/cpc

## Top features

Do more—with big media sizes, broad capabilities, and brilliant color— on this affordable A3 MFP. Preview and control jobs on the touchscreen. Copy, scan, and fax<sup>2</sup>—and print from smartphones and tablets from virtually anywhere with HP ePrint.<sup>3</sup>

Keep large scan and copy jobs moving with a high-capacity automatic document feeder. Robust paper capacity reduces reloading. Print right at the device, using the easy-access USB. Manage access to color printing to help control operating costs.

Enhance performance. Use customizable HP Quick Sets to launch one-touch workflows. Preview and edit scans on the large touchscreen for digital sending<sup>6</sup> to e-mail, fax,<sup>2</sup> or network folder. Automatically remove blank pages from scanned documents.

Help grow your investment with an MFP that simplifies solution deployment and firmware updates. Robust security features safeguard sensitive data. Management tools optimize company-wide printing policies and help trim operating costs.

#### Accessories

CE860A CE792A CE725A CF305A CC487A CE514A CE515A CE516A CE516A L2718A C8091A	<ul> <li>HP Color LaserJet 500-sheet Paper Tray</li> <li>HP LaserJet 1x500-sheet Feeder and Stand</li> <li>HP Color LaserJet 3x500-sheet Paper Feeder and Stand</li> <li>HP LaserJet 1x3500-sheet Feeder and Stand</li> <li>HP LaserJet 1x3500-sheet Feeder and Stand</li> <li>HP LaserJet 110V Fuser Kit</li> <li>HP LaserJet 220V Fuser Kit</li> <li>HP LaserJet Transfer Kit</li> <li>HP Color LaserJet Toner Collection Unit</li> <li>HP 100 ADF Roller Replacement Kit</li> <li>HP Staple Cartridge Refill</li> </ul>
Supplies	
CE340A CE341A CE342A CE343A	- HP 651A Black LaserJet Toner Cartridge (~13,500 yield) - HP 651A Cyan LaserJet Toner Cartridge (~16,000 yield) - HP 651A Yellow LaserJet Toner Cartridge (~16,000 yield) - HP 651A Magenta LaserJet Toner Cartridge (~16,000 yield)
Services	
	<ul> <li>HP 3-year NBD+ DMR Color LaserJet M775 Multifunction printer Support</li> <li>HP 4-year NBD + DMR Color LaserJet M775 Multifunction printer Support</li> <li>HP 5-year NBD + DMR Color LaserJet M775 Multifunction printer Support</li> <li>HP 3-year 4 hour 9x5 Color LaserJet M775 Multifunction printer Support HW Support</li> <li>HP 4-year 4 hour 9x5 Color LaserJet M775 Multifunction printer Support HW Support</li> <li>HP 5-year 4 hour 9x5 Color LaserJet M775 Multifunction printer Support HW Support</li> <li>HP 4-year 4 hour 9x5 Color LaserJet M775 Multifunction printer Support HW Support</li> <li>HP 5-year 4 hour 9x5 Color LaserJet M775 Multifunction printer Support HW Support</li> <li>HP 1-year PW NBD + DMR Color LaserJet M775 Multifunction printer Support</li> <li>HP 1-year PW 4 hour 9x5 Color LaserJet M775 Multifunction printer Support</li> </ul>

<sup>1</sup>Maximum paper capacity of 4350 sheets is available only on the M775dn with the addition of the optional 350-sheet high-capacity input and optional 500-sheet tray. <sup>2</sup>Fax capabilities are available with an optional fax card on the HP LaserJet Enterprise 700 color MFP M775dn. <sup>3</sup>Requires an Internet connection to HP Web-enabled printer and HP ePrint account registration flor a list of eligible printers, supported documents and image types and other HP ePrint defacts, see bit com/gloop/printentent.<sup>4</sup>. Mobile devices require internet connection and e-mail capability. May require witeless access point. Separately purchased data plans for usage fees may apply. Print times and connection speeds may vary. Some HP LaserJet printers may require firmware upgrades. <sup>4</sup>Hnine staple/stacker is not available on the HP LaserJet Enterprise 700 color MFP M775dn or M775f. <sup>5</sup>Color access control capabilities vary from device to device. <sup>6</sup>HP Digital Semity contrast destapted purchases data plane purchase data plane purchase. <sup>4</sup>Savings from instant-on Technology, compared with products that use traditional fusing and from instant-on Centrology, when compared with products that use traditional fusing and from instant-on Centrology. <sup>4</sup>Portices traditional fusing and from instant-on Centrology when compared with products that use traditional fusing and from instant-on Centrology.

## HP LaserJet Enterprise 700 color MFP M775 series

Technical Specifications	HP LaserJet Enterprise 700 color MFP M775dn(CC522A)	HP LaserJet Enterprise 700 color MFP M775f(CC523A)	HP LaserJet Enterprise 700 color MFP M775z(CC524A)	HP LaserJet Enterprise 700 color MFP M775z+(CF304A)				
AIO functions	Print, copy, scan, digital send, easy access USB; AlO multitasking supported: Yes	Print, copy, scan, fax, digital send, easy access USB; AlO multitasking supported: Yes	AlO multitaskin	access USB, offset and staple capabilities; g supported: Yes				
Print speed <sup>1</sup>	A4: Up to 30 ppm; Letter: Up to 30 ppm black; Up to 30 ppm; Letter: Up to 30 ppm color First Page Out Black: As fast as 10.5 sec; First Page Out Color: As fast as 10.5 sec							
Print resolution	Black (best): Up to 600 × 600 dpi; Colour (best): Up to 600 × 600 dpi							
Print Technology			HP ImageREt 3600, Pantone Calibrated					
Print Cartridges Number			an, magenta, yellow)					
Standard Print Languages			postscript level 3 emulation, native PDF printing (v 1.4), Ap					
Printer Smart Software Features	HP ePrint, Apple AirPrint <sup>™</sup> , Mopria-certified, Open Extensibility Platform, FutureSmart Firmware, Instant-on Technology, HP Easy Color, print preview, duplex, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store pr jobs, job separator, staple, offset							
Printer Management			in; HP Utility (Mac)					
Scan Type / Technology			y: Charge Coupled Device (CCD)					
Scan Resolution			0 dpi; <b>Optical:</b> Up to 600 dpi					
Scan File Format			MTIFF, XPS, PDF/A					
Scan Input Modes	Сору, s		device memory, fax, Open Extensibility Platform (OXP) app					
Scan Size	FI	ADF: 297 x 420 mm; 11 x 17 in Maximum; atbed: 297 x 420 mm; Up to 30 ppm (b&w), up to 30 ppm		ADF: 297 x 420 mm; Maximum; Flatbed: 297 x 420 mm; Up to 30 ppm (b&w), up to 3~0 ppm (color)				
Scan Speed			uplex: Up to 14 ipm (b&w), up to 14 ipm (color)					
Scanner Advanced Features	Optimize text/picture; Image adjustments; Job buil		600 dpi; Auto detect color; Edge erase; Auto tone; Auto job	notification; Blank page suppression; HP Quick Sets				
Bit depth / Grayscale levels			it/ 256					
Digital Sending Standard Features	Scan to e-mail;		Send to LAN Fax; Send to Internet Fax; Local Address Book	; SMTP over SSL				
Copy Resolution			i; Color (text and Graphics): 600 × 600 dpi					
Maximum Number of Copies			99 copies					
Copier Resize		25 to	400%					
Copier Settings	Sides; Collate; Paper Selection; Color/E	lack; Reduce/Enlarge; Image Adjustment; Content Orienta	tion; Pages per sheet; Booklet format; Edge to Edge; Optim	ize Text/Picture; Original Size; Job Build				
Fax Speed			<b>Up to:</b> 33.6 kbps					
Fax Resolution	Black (best): Up to 300 x 300 dpi (400 x 400 dpi for received faxes only); Black (standard): 204 x 98 dpi							
Fax Smart Software Features		Stored faxes; fax archiving; fax forward	ing; scale-to-fit; fax address book; LAN/Internet fax; fax nu	mber confirmation; Holiday fax schedule				
Fax Features	Auto Fax Reduction Supported: Yes; Auto-Redialing: Yes; Fax Delayed Sending: No; Distinctive Ring Detection Supported: No; Fax Forwarding Supported: Yes; Fax Phone TAM Interface Supported: No; Fax Polling Supported: Yes (poll to receive only); Fax Telephone Mode Supported: No; Junk Barrier Supported: Yes; Maximum Speed Dialing Numbers: Up to 100 numbers (each with 100 destinations); PC Interface Supported: Yes; Remote Retrieval Capability Supported: No; Telephone Handset Supported: No							
Standard Connectivity	1 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Foreign Interface (FIH); 1 Hardware Integration Pocket (HIP Pocket); 2 Interface (FIH); 1 Hardware Integration Pocket (HIP Pocket); 2 Internal USB 2.0 Host; 1 Fax port Pocket); 2 Hinterface (FIH); 1 Hardware Integration Pocket (HIP Pocket); 2 Internal USB 2.0 Host; 1 Fax port							
Network Capabilities	Yes, via HP Jetdirect Ethernet embedded print server (stan	dard) supports: 10Base-T, 100Base-Tx , 1000Base-T; 802.	3az (EEE) support on Fast Ethernet and Gigabit Ethernet; IF	sec (standard); 802.11b/g/n wireless networking (optiona				
Network Ready		Standard (built-ir	Gigabit Ethernet)					
Wireless Capability			ry, HP Jetdirect 2700w USB Wireless Print Server J8026A					
Mobile Printing Capability <sup>2</sup>			int™: Mopria™-certified					
Memory			Maximum: 1536 MB					
Processor Speed	800 MHz / Hard disk: Standard, embedded HP High-Perfo	rmance Secure Hard Disk, minimum 320 GB; AES 256 har	dware encryption or greater; Secure erase capabilities (Secu Erase-Disk)	ire File Erase-Temporary Job Files, Secure Erase-Job Data,				
Duty Cycle <sup>3, 4</sup>		Monthly, A4: Up to 120,000 pages Recomm	nended Monthly Page Volume: 2500 to 7500					
Paper Handling	Input Capacities: 100-sheet multipurpose tray, 250- sheet tray, 100-sheet automatic document feeder (ADP; Up to 350 sheets standard; Up to 10 envelopes labels legal; Output Capacities: 250-sheet output tray; Up to 250 sheets standard labels legal; Duplex Options: Automatic (standard); Auto Document Feeder Capacity: Standard (Joust) legal; Supported: Paper (plain, light, bond, recycled, mid- weight, heavy, extra heavy, mid-weight (Jossy, heavy glossy, extra heavy glossy, cardstock, card glossy), HP matte, HP soft gloss, HP glossy, clower transparency, labels, letterhead, envelope, preprinted, prepunched, colored, rough, HP tough paper, opaque film, user- defined; Media Weight Supported: Tray 1: 16 to 58 lb (plain), 28 to 58 lb (clossy), 43 to 58 lb (cardstock, card glossy); Tray 2: 16 to 58 lb (cland; Sta 54 lb (Jossy, Tray 1: Letter, Letter-R, executive, legal, statement, 8.5 x 13 in, 11 x 17 in, 12 x 18 in, 3 x 5 in, 4 x 6 in, x 7 in, 5 x 8 in, envelopes (No. 9, No 10, Monarch); Tray 2: Letter, letter-R, executive, legal, 6.5 x 13 in, 11 x 17 in; Media Sizes Custom; Tray 1: 3 x 5 to 12.6 x 18.5 in; Tray 2: 5.83 x 7.16 to 11.7 x 17 in	Input Capacities: 100-sheet multipurpose tray, 250- sheet tray 2, 500-sheet tray 3, 500-sheet tray 4 with cabinet, 100-sheet automatic document feeder (ADP); Up to 1350 sheets standard; Up to 10 envelopes labels legal. (Output Capacities: 250-sheet output tray; Up to 250 sheets standard; Auto Document Feeder Capacity: Standard, 100 sheets; Envelope Feeder. No; Standard Paper Trays: 4; Media Types Supported: Paper (plain; light, bond; recycled, mid-weight, heavy, extra heavy, mid-weight glossy, heavy glossy, extra heavy glossy, cardistock, ard glossy), HP matter, HP soft gloss, HP glossy, color transparency, labels, letterhead, envelope, preprinted, prepunched, colored, Media Weight Supported: Tray: 1: 16 to 58 lb (plain), 28 to 58 lb (glossy), 41 to 58 lb (cardistock, ard glossy); HT avg 2: 16 to 58 lb (plain), 28 to 34 lb (glossy), 43 to 58 lb (card glossy); Trays 3, 4: 15 to 47 lb (plain), 28 to 58 lb (glossy), 41 to 58 lb (card Sizes Supported: Tray 1: Letter, letter-R, executive, legal, statement, 85 x 13 in, 11 x 17 lin, 12 x 18 in, 3 x sin, 4 x 6 in, 5 x 7 in, 5 x 8 in, rays 10 se Sustorn: Tray 1: 3 x 51 to 12.6 x 18.5 in; Tray 5.8 x 7.16 to 17.x 17 Tray 3: 4: 82 x 7.2 k 50 to 11.7 x 17	Input Capacities: 100-sheet multipurporise tray, 250- sheet tray 2, 3 × 500-sheet tray with cabinet for tray 3, 4 and 5, 100-sheet automatic document feeder (ADF). Up to 1850 sheets standard; Up to 10 envelopes labels legal; Output Capacities: 250-sheet output tray; 500-sheet inline stapler/stacker: Up to 750 sheets standard labels legal; Duplex Options: Automatic (standard); Auto Document Feeder Capacity: Standard, 100 sheets; Envelope Feeder: No; Standard Paper Trays: 5; Media Types Supported: Paper (bain, light, bond, recycled, mid-weight, heavy, extra heavy mid- weight glossy, heavy glossy, extra heavy glossy, cardstock, card glossy), HP matte, HP soft gloss, HP glossy, color transparency, labels, letterhead, envelope, preprinted, prepunched, colored, rough, HP tough paper, opaque film, user-defined; Media Welght Supported: Tray 1: 16 to 58 lb (card glossy); 17ay 2: 16 to 58 lb (plain), 28 to 34 lb (glossy), 31 to 58 lb (card glossy); 43 to 58 lb (card glossy); Yray 2: 16 to 58 lb (plain), 28 to 34 lb (glossy), 43 to 58 lb (card glossy); 17ay 2: 14, 51: 61 to 74 lb (plain), 28 to 53 lb (glossy), 47 to 58 lb (card glossy); Media Sizes Supported: Tray 1: Latter-R, executive, legal, statement, 8.5 x 13 in, 11 x 17 in, 12 x 18 in, 3 x 5 in, 4 x 6 in, 5 x 7 in, 5 x 8 in, envelopes (No.9, No 10, Monarch); Tray 2: 3, 45: Letter, letter-R, executive, legal, 8.5 x 13 in, 11 x 17 in; Media Sizes Custom: Tray 1: 3 x 5 to 12.6 x 18.5 in; Tray 2: 58.8 x 1.6 to 17.1 to 11.7 x	Input Capacities: 100-sheet multipurpose tray, 250- sheet tray 2, 3500-sheet high capacity input tray with cabinet for tray 3 and 4 (letter and Ad only), 100-sheet automatic document feeder (ADP); Up to 3850 sheets standard; Up to 10 envelopes labels legal; <b>Output</b> Capacities: 250-sheet output tray; 500-sheet inline stapler/stacker; Up to 750 sheets standard labels legal; <b>Duplex Options</b> : Automatic (standard); <b>Auto Document</b> <b>Feeder</b> : No: Standard Paper Trays: 4; Media Types <b>Supported</b> : Paper (palain, Light, bond; recycled, mid- weight, heavy, extra heavy mid-weight glossy, keavy glossy, extra heavy glossy, cardstock, card glossy), HP matte, HP soft gloss, HP glossy, color transparency, defined				

тау 3, 4: 8.27 x 5.26 to x 17 in tray 5.83 x 7.16 to 11.7 x 17

## HP LaserJet Enterprise 700 color MFP M775 series

Technical Specifications	HP LaserJet Enterprise 700 color MFP M775dn(CC522A)	HP LaserJet Enterprise 70	0 color MFP M775f(CC523A)	HP LaserJet Enterprise 700 color MFP M775z(CC524A)	HP LaserJet Enterprise 700 color MFP M775z+(CF304A)		
Product Dimensions	<b>W x D x H:</b> 23.3 x 25.2 x 23.4 in; 592 x 639 x 595 mm <b>Maximum:</b> 37.8 x 44.4 x 37 in; 959 x 1129 x 941 mm	<b>W x D x H:</b> 29.3 x 26.3 x 45 in; 745 x 668 x 1143 mm <b>Maximum:</b> 39.8 x 45.6 x 58.6 in; 1012 x 1158 x 1489 mm		<b>W x D x H:</b> 29.3 x 26.3 x 47.2 in; 745 x 668 x 1198 mm <b>Maximum:</b> 39.8 x 45.6 x 60.8 in; 1012 x 1158 x 1544 mm	WxDxH: 745 x 668 x 1198 mm Maximum: 1012 x 1158 x 1544 mm		
Product Weight	140.5 lb63.7 kg	213.5 lb96.8 kg		237.4 lb107.7 kg	116.3 kg		
Warranty Features	One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Go to http://www.hp.com/support to learn about HP award winning service and support options in your region.						
Energy Efficiency Compliance	ENERGY STAR® qualified, CECP, EPEA	T® Silver		ENERGY STAR® qualified; EPEAT® Silver; CECP			
Control Panel	8.07-in (20.5 cm) touchscreen control panel with color graphic display, rotating (adjustable angle); job control buttons; LED Home button; Hardware Integration Pocket; easy access USB						
Display Description	8.07" (20.5 cm) touchscreen Color Graphic Display (CGD)						
Software Included	Windows Installer, HP PCL 6 discrete driver, Mac Installer, HP Postscript emulation driver						
Fonts and Typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at hp.com/go/laserjetfonts						
Compatible Operating Systems	Windows 10, Windows 8, Windows 7, Windows 7, Windows XP (SP2+), Windows Server 2003 (SP1+), Windows Server 2008 (32 and 64-bit), Windows Server 2008 R2 (64-bit); Mac OS X v10.6, 10.7; For the latest operating system support see: Citrix and Windows <sup>2</sup> Terminal Services (http://www.hp.com/go/upit/www.npecl.com/ip/init); Linux (http://www.hplip.net); UNIX (http://www.hp.com/go/upit/ww.hp.com/go/upit/www.hp.com/g						
Minimum System Requirements	PC: Windows 10, Windows 8, Windows 7, Windows Vista, Windows XP (SP2+), Windows Server 2003 (SP1+), Windows Server 2008, Windows Server 2008 R2; 200 MB available hard disk space; operating system compatible hardware system requirements, see http://www.microsoft.com; MAC: Mac OS X v10.6, 10.7; 200 MB available hard disk space; operating system compatible hardware system requirements, see apple.com						
Power	Power Supply Type: Built-in power supply; Power Requirements; 110-volt input voltage: 110 to 127 VAC (+/- 3 Hz), 60 Hz (+/- 3 Hz); 60 Hz (+/- 3 Hz); 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50 Hz (+/- 3 Hz), 60 Hz (+/- 3 Hz); 60 Hz (+/-						
Acoustics <sup>5</sup>	Acoustic Power Emissions: 6.7 B(A); Acoustic Pressure Emissions: 53 dB(A)						
Operating Environment	Operating Temperature Range: 15 to 27°C; Recommended Operating Temperature: 17 to 25°C; Storage Temperature Range: 0 to 35°C; Non-Operating Humidity Range: 10 to 90% RH; Operating Humidity Range: 10 to 70% RH; Recommended Humidity Operating Range: 30 to 70% RH						
Security Management	Management security: SNMPv3, SSL/TLS, WPA2-Enterprise, 802.1X authentication (EAP- PEAP, EAP-TLS), IPP over TLS, IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; Support for WJA-10 IPsec Configuration using IPsec Plug-in; Compatible with HP Imaging & Printing Security Center						

1 Measured using ISO/IEC 24734, excludes first set of test documents. For more information see hp. com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. 2 Requires an Internet connection to the printer. Feature works with any connected Internet- and e-mail-capable device. Requires HP Web Services Account Registration. Print times may vary. For a list of supported documents, and image types, see hp.com/go/printercenter. And for additions, see hp.com/go/printercenter. And for additions, see hp.com/go/wobile-printing-solutions. Supports the following devices running (05 4.2 or later: iPad<sup>®</sup>, iPad<sup>®</sup> 2, iPhone<sup>®</sup> (3G or later), iPod touch<sup>®</sup> (3rd generation or later). Works with HP's AiPrint<sup>®</sup> maled beyrices and requires the printer be asam networks as your iOS device. Wireless performance is dependent upon physical environment and distance from the access point. AiPrint, the AiPrint Loop, iPad, iPhone, and iPod touch<sup>®</sup> are trademarks of Apple<sup>®</sup> Inc., registered in the U.S. and other countries. 3 Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other iPL aser/et or iPC (olor Laser/et devices, and enables replacement intervals and device Ure over an extended warranty period. 5 Declared per ISO 2926 and 7779, values are subject to change. 6 Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages; this will damage the printer and void the product warranty. Values subject to change, see hp.com/support for current information.

#### Learn more at hp.com

© Copyright 2012 - 2018 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Windows is a registered trademark of Microsoft Corporation. AirPrint, iPad, iPhone, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries.